

Distribution: Central File

Date: 13/12/04

Supersedes: 8/12/04

OXOID QUALITY ASSURANCE

PRODUCT SPECIFICATION

**TRYPTONE SOYA BROTH (ACCORDING TO EP/USP)
COREX BOX**

BO0509M

Typical Formula, Oxoid CM 129

	grams per litre
Pancreatic digest of casein	17.0
Papaic digest of soybean meal	3.0
Sodium chloride	5.0
Dibasic potassium phosphate	2.5
Glucose	2.5

Preparation

Suspend Tryptone Soya Broth (30g/litre) in deionised water. Heat to dissolve. Cool and dispense 100ml into final containers, 100ml DIN bottles. Sterilise at 121°C for 15 minutes. When cool, label each bottle and pack in units of 10 into labelled boxes.

Format

Ten DIN bottles with wide septum, injectable closures in a corex box.

Labels

Label gives details of product name, product code, recommended storage temperature, lot number and expiry date.

Physical Characteristics

Physical Tests

pH	- 7.3 ± 0.2
Colour	- Straw
Clarity	- Clear
Fill volume	- 100ml + 1.5ml

Packaging and presentation:

General appearance of bottle and label should be satisfactory. Label data should be correct.

Sterility Test

Macroscopic examination should show no evidence of microbial growth after incubation at 20-25°C and 30-35°C for 14 days.

Microbiological Tests Using Optimum Inoculum Dilution

Results after incubation at 30-35°C for 2 days.

Inoculum less than 100 colony forming units

<i>Staphylococcus aureus</i>	ATCC 6538	Turbid growth
<i>Escherichia coli</i>	ATCC 8739	Turbid growth
<i>Pseudomonas aeruginosa</i>	ATCC 9027	Turbid growth

Results after incubation at 20-25°C for up to 3 days

Inoculum less than 100 colony forming units.

Bacillus subtilis ATCC 6633 Flocculent /surface growth

Results after incubation at 20-25°C for 5 days

Inoculum less than 100 colony forming units

Candida albicans ATCC 10231 Flocculent/surface growth

Aspergillus niger ATCC 16404 White mycelia with or without black spores

Storage conditions

Store away from the light at between 2 – 25°C.

The Microbiological Quality Control of this product complies with the following pharmacopoeia

British Pharmacopoeia 2004

European Pharmacopoeia 5th Edition 2005

The Japanese Pharmacopoeia JP 14 2001

The United States Pharmacopoeia USP 28 2005