

UKHSA Food and Water PT Schemes - order form 2022

Page 1 of 6

| Distribution Month | DEADLINE DATE | Dispatch Date |
|---------------------------|----------------------|----------------------|
| Water - January 2022 | 6 December 2021 | 10 January 2022 |
| Food - January 2022 | 17 January 2022 | 31 January 2022 |
| Water - February 2022 | 7 February 2022 | 21 February 2022 |
| Food - March 2022 | 28 February 2022 | 14 March 2022 |
| Water - April 2022 | 21 March 2022 | 4 April 2022 |
| Food - May 2022 | 25 April 2022 | 9 May 2022 |
| Water - June 2022 | 23 May 2022 | 6 June 2022 |
| Food - July 2022 | 20 June 2022 | 4 July 2022 |
| Water - August 2022 | 18 July 2022 | 1 August 2022 |
| Food - September 2022 | 22 August 2022 | 5 September 2022 |
| Water - October 2022 | 19 September 2022 | 3 October 2022 |
| Food - November 2022 | 24 October 2022 | 7 November 2022 |

Next

Fechas límite para cada
distribución

| | |
|--|----------------------|
| Entrar "Thermo Fisher Spain" | <input type="text"/> |
| El nombre de su contacto en la organización de Thermo Fisher Spain | <input type="text"/> |
| Señas electrónicas de su Laboratorio | <input type="text"/> |
| Su número de identificación de laboratorio Si es nuevo cliente ponga: NEW | <input type="text"/> |
| Su número de pedido. Si no lo necesita, introduzca la fecha de hoy y sus iniciales | <input type="text"/> |
| Laboratory details | |
| Nombre del contacto en el Laboratorio | <input type="text"/> |
| Dirección del Laboratorio: nombre y dirección con Código postal y País | <input type="text"/> |
| Dirección(s) de correo electrónico del-los contacto-s del laboratorio | <input type="text"/> |
| Número de teléfono del laboratorio | <input type="text"/> |

Food Schemes

Standard Scheme

| | 344 | 346 | 348 | 350 | 352 | 354 |
|----------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| | STD1D01 | STD1D02 | STD1D03 | STD1D04 | STD1D05 | STD1D06 |
| | 31/01/2022 | 14/03/2022 | 09/05/2022 | 04/07/2022 | 05/09/2022 | 07/11/2022 |
| Quantity | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |

European Food Microbiology Legislation Scheme

| | EFL57 | EFL58 | EFL59 | EFL60 |
|----------|----------------------|----------------------|----------------------|----------------------|
| | EFL01D01 | EFL01D02 | EFL01D03 | EFL01D04 |
| | 31/01/2022 | 14/03/2022 | 04/07/2022 | 07/11/2022 |
| Quantity | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |

Non-Pathogen Scheme

| | NP070 | NP071 | NP072 |
|----------|----------------------|----------------------|----------------------|
| | NP01D01 | NP01D02 | NP01D03 |
| | 31/01/2022 | 09/05/2022 | 05/09/2022 |
| Quantity | <input type="text"/> | <input type="text"/> | <input type="text"/> |

PYM Option Non-Pathogen Scheme

| | PYM070 | PYM071 | PYM072 |
|----------|----------------------|----------------------|----------------------|
| | PYM01D01 | PYM01D02 | PYM01D03 |
| | 31/01/2022 | 09/05/2022 | 05/09/2022 |
| Quantity | <input type="text"/> | <input type="text"/> | <input type="text"/> |

Shellfish Scheme

| | SF070 | SF071 | SF072 |
|----------|----------------------|----------------------|----------------------|
| | SF01D01 | SF01D02 | SF01D03 |
| | 14/03/2022 | 04/07/2022 | 07/11/2022 |
| Quantity | <input type="text"/> | <input type="text"/> | <input type="text"/> |

Pathogenic Vibrio Scheme

| | V062 | V063 | V064 |
|--|----------|----------|----------|
| | VIB01D01 | VIB01D02 | VIB01D03 |

Ingrese la cantidad de cada distribución que necesite

Water Schemes

Legionella Isolation Scheme

| | G125 LEG01D01 10/01/2022 | G126 LEG01D02 04/04/2022 | G127 LEG01D03 06/06/2022 | G128 LEG01D04 03/10/2022 |
|----------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| Quantity | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |

Legionella Molecular Scheme

| | LM10 LM01D01 21/02/2022 | LM11 LM01D02 01/08/2022 |
|----------|-------------------------------|-------------------------------|
| Quantity | <input type="text"/> | <input type="text"/> |

Recreational and Surface Water Scheme

| | S103 SW01D01 10/01/2022 | S104 SW01D02 21/02/2022 | S105 SW01D03 04/04/2022 | S106 SW01D04 06/06/2022 | S107 SW01D05 01/08/2022 | S108 SW01D06 03/10/2022 |
|----------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| Quantity | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |

Drinking Water Scheme

| | W200 INDM1D01 10/01/2022 | W201 INDM1D02 21/02/2022 | W202 INDM1D03 04/04/2022 | W203 INDM1D04 06/06/2022 | W204 INDM1D05 01/08/2022 | W205 INDM1D06 03/10/2022 |
|----------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| Quantity | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |

Bottled and Mineral Water Scheme

| | BMW28 BMW01D01 10/01/2022 | BMW29 BMW01D02 04/04/2022 | BMW30 BMW01D03 01/08/2022 |
|----------|---------------------------------|---------------------------------|---------------------------------|
| Quantity | <input type="text"/> | <input type="text"/> | <input type="text"/> |

Endoscope Rinse Water Scheme

| | EW29 EW01D01 10/01/2022 | EW30 EW01D02 04/04/2022 | EW31 EW01D03 01/08/2022 |
|----------|-------------------------------|-------------------------------|-------------------------------|
| Quantity | <input type="text"/> | <input type="text"/> | <input type="text"/> |

Ingrese la cantidad de cada distribución que necesite

Please enter comments you have relating to this order:

Back

Next

Si tiene algún comentario relacionado con su pedido, ingréselo aquí

Haga clic aquí para aceptar
nuestros términos y condiciones

I understand that by submitting this document I am agreeing to abide by the Terms and Conditions of Participation for the PHE food and water Microbiology PT Schemes below.

**PUBLIC HEALTH ENGLAND
FOOD and WATER MICROBIOLOGY PROFICIENCY TESTING SCHEMES
Terms and Conditions of Participation**

- 1. Samples distributed as part of the Schemes may contain microbiological pathogens of Hazard Groups 1 and 2 as defined by the Advisory Committee on Dangerous Pathogens (2004) "The Approved List of biological agents". Participants must ensure that their laboratory facilities and expertise are adequate to ensure the safe handling of these organisms during their participation in the Schemes.**
- 2. PHE reserves the right to decline renewal of participation in the Scheme.**
- 3. Participation in the Scheme is offered with the understanding that participants will process quality assessment samples in the same way as their routine samples. This is necessary to achieve the primary purpose of the Schemes, which is to allow participants an insight into their levels of performance in routine work.**
- 4. Each laboratory will be registered under a unique code number. This code number and the assessment of individual performance is confidential to the participant and will not be released by PHE to third parties other than under any written agreement. Participants are free to release information concerning their own individual performance to whoever they wish. The fact of actual participation in the Schemes is not regarded as confidential and may be revealed by PHE to those with legitimate reasons for knowing.**
- 5. All reports, and the data they contain, issued by PHE are Copyright of PHE and may not be published in any form without permission of PHE.**
- 6. Participants in the Schemes have entire responsibility for all samples distributed to them under the Scheme and all activities carried out by them or any third party in relation to the samples from the time of delivery of the samples.**
- 7. Invoices will be issued in GBP and payments to made in GBP.**

Please note these food and water microbiology proficiency testing schemes terms and conditions of participation are in addition to Public Health England's terms and conditions which can be viewed at the following link:

[Public Health England Terms and Conditions](#)

Back

Submit

Recibirá un correo electrónico con los detalles de su pedido

Las cantidades de distribuciones pedidas se resaltarán en azul

Dear Joanna Donn

Thank you, we acknowledge receipt of your order number: **07.10.19 JD** for the following distributions

Food schemes

| | | | | | |
|---------------|------------|------------|------------|------------|------------|
| 1 324 | 326 | 328 | 330 | 332 | 334 |
| STD1D01 | STD1D02 | STD1D03 | STD1D04 | STD1D05 | STD1D06 |
| 06/01/2020 | 17/02/2020 | 06/04/2020 | 01/06/2020 | 27/07/2020 | 28/09/2020 |

| | | | |
|------------|------------|------------|------------|
| EFL51 | EFL52 | EFL53 | EFL54 |
| EFL01D01 | EFL01D02 | EFL01D03 | EFL01D04 |
| 06/01/2020 | 17/02/2020 | 01/06/2020 | 28/09/2020 |

| | | |
|------------|-----------------|------------|
| NP065 | 1 NP066 | NP067 |
| NP01D01 | NP01D02 | NP01D03 |
| 06/01/2020 | 06/04/2020 | 27/07/2020 |

| | | |
|------------|------------------|------------|
| PYM065 | 2 PYM066 | PYM067 |
| PYM01D01 | PYM01D02 | PYM01D03 |
| 06/01/2020 | 06/04/2020 | 27/07/2020 |

| | | |
|------------|------------|------------|
| SF065 | SF066 | SF067 |
| SF01D01 | SF01D02 | SF01D03 |
| 17/02/2020 | 01/06/2020 | 28/09/2020 |

| | | |
|------------|------------|------------|
| V058 | V059 | V060 |
| VIB01D01 | VIB01D02 | VIB01D03 |
| 17/02/2020 | 01/06/2020 | 28/09/2020 |

| | | |
|------------|------------|------------|
| STA043 | STA044 | STA045 |
| SET01D01 | SET01D02 | SET01D03 |
| 06/01/2020 | 06/04/2020 | 27/07/2020 |

Water schemes:

| | | | |
|----------------|------------|------------|------------|
| 1 G118 | G119 | G120 | G121 |
| LEG01D01 | LEG01D02 | LEG01D03 | LEG01D04 |
| 27/01/2020 | 11/05/2020 | 29/06/2020 | 02/11/2020 |

| | |
|------------|------------|
| LM7 | LM8 |
| LM01D01 | LM01D02 |
| 09/03/2020 | 31/08/2020 |

| | | | | | |
|------------|------------|------------|------------|------------|------------|
| S94 | S95 | S96 | S97 | S98 | S99 |
| SW01D01 | SW01D02 | SW01D03 | SW01D04 | SW01D05 | SW01D06 |
| 27/01/2020 | 09/03/2020 | 11/05/2020 | 29/06/2020 | 31/08/2020 | 02/11/2020 |

| | | | | | |
|------------|------------|------------|------------|------------|------------|
| W191 | W192 | W193 | W194 | W195 | W196 |
| INDM1D01 | INDM1D02 | INDM1D03 | INDM1D04 | INDM1D05 | INDM1D06 |
| 27/01/2020 | 09/03/2020 | 11/05/2020 | 29/06/2020 | 31/08/2020 | 02/11/2020 |

Los detalles de su laboratorio y los comentarios de su pedido aparecerán en la parte inferior del correo electrónico

Laboratory details:

Contact name: Manchari Rajkumar

Laboratory address: Public Health England 61 Colindale Avenue London NW9 5EQ UK

Email address(s): manchari.rajkumar@phe.gov.uk

Telephone number: 1233445556

Order comments (if any entered): **Please put name in blue on label**

Please note any orders recieved after the distribution deadline date will be sent after the dispatch date.

FEPTU Team
Food & Environmental Proficiency Testing Unit (FEPTU)
National Infection Service
Public Health England
61 Colindale Avenue
London
NW9 5EQ

Tel: +44 208 327 7119

Fax: +44 208 200 8264

Email: foodeqa@phe.gov.uk

<http://www.gov.uk/phe> Follow us on Twitter @PHE_uk

Protecting and improving the nation's health